

Door and Window



ZINC DIE-CAST DOOR HANDLES 1 SET

2 simple plain zinc die-cast handles, nickel-plated and polished. Handle length 11.5 cm, 2 cm Ø.

Weight of each handle 250 g.

Excluding handle rosettes. Order no. 162955



BLACK COATED ZINC DIE-CAST DOOR HANDLES 1 SET

2 door handles zinc die-cast, nickel-plated and

polished. Handle piece black coated. Handle length 11.5 cm, 2 cm Ø. Handle weight 190 g.

Excluding handle rosettes. Order no. 179911



Matching to both door handles:

ZINC DIE-CAST PROTECTIVE PLATES 1 SET

2 protective plates of zinc die-cast, nickel-plated and polished (material strength 1.7 mm).

20 x 3.5 cm. Weight 80 g.

Warded lock

Order no. 162957

Profile Cylinder

Order no. 171931



ZINC DIE-CAST ROSETTES 1 SET

2 key and 2 handle rosettes, zinc die-cast, nickel-plated and polished (material strength 1.7 mm).


4.8 cm Ø. Weight 25 g.

Warded lock

Order no. 190002

Profile Cylinder

Order no. 199328



POLISHED BRASS DOOR HANDLES 1 SET

Made of solid cast-brass, polished and coated with clear varnish. Handle 2.1 x 1.4 cm, length 11 cm. Handle weight 300 g.

Order no. 179912

POLISHED BRASS PROTECTIVE PLATES 1 SET

Made of solid cast-brass, polished and coated with clear varnish. (Material strength 1.7 mm). 23 x 4 cm. Weight 160 g.

Warded lock

Order no. 179913

Profile Cylinder

Order no. 179914

Attention: Rosettes cannot be supplied with this set.

1 NICKEL-PLATED BRASS WINDOW HANDLE

Supplied with rosette. Solid cast-brass window handle, nickel-plated and polished.

Handle length 8 cm.

Nickel-plated, polished zinc die-cast rosette, 5.8 x 2.6 cm, width to centre hole 4.3 cm.

Weight 230 g.

Order no. 158045



1 BRASS POLISHED WINDOW HANDLE

Supplied with rosette. Window handle and rosette made of solid cast-brass, polished and coated with clear varnish.

Handle length 8 cm. Rosette 7 x 2.5 cm, width to centre hole 4.3 cm. Weight 190 g.

Order no. 179910



Porzellan of Limoger.

Our scratch-proof and color-fast porcelain door handles and knobs are made of moulded porce-

lain. The porcelain is pressed into a metal mould and heated to 1400° C; afterwards they are framed in a brass ring. Delivery without screws.

Note: The actual pair of handles or pair of knobs and a set of rosettes must be purchased separately.

PORCELAIN DOOR HANDLE 1 SET

This sturdy door handle is made of black or white porcelain. The nickel-plated brass angle makes it extremely durable. 2 handles without rosette. Handle length approx. 11 cm, max. 2.7 cm Ø. Weight 320 g. Two brass spacer rings and allen key are included.
Brass nickeled, black Order no. 179970



Brass blank, white

Order no. 179971



Brass nickeled, white

Order no. 179969



PORCELAIN DOOR KNOB 1 SET

2 porcelain oval-shaped door knobs. Length 6,5 cm, width 4 cm, depth 5,5 cm. Weight 120 g. Two plastic spacer rings and allen key are included.
Brass nickeled, white Order no. 179972




Brass blank, white

Order no. 179974



Brass nickeled, black

Order no. 179973



Matching Rosettes.

The screw holes of the smaller rosette (Ø 4.5 cm/1.77 inches) are 32 mm/0.13 inches apart (center to center), meaning that they do not fit on doors with a German standard distance of 38 mm/0.15 inches. Therefore, we also offer larger rosettes (a considerable 6.5 cm/2.56 inches Ø), with a distance between screws of 52 mm/0.20 inches.

PORCELAIN ROSETTES SMALL 1 SET

2 key and 2 handle rosettes of porcelain. 4.5 cm Ø. Weight 15 g.
Warded lock white Order no. 179975
Warded lock black Order no. 179977
Profile cylinder white Order no. 179976
Profile cylinder black Order no. 179978

PORCELAIN ROSETTES LARGE 1 SET

2 key and 2 handle rosettes of porcelain. 6.5 cm Ø. Weight 40 g.
Warded lock white Order no. 179979
Warded lock black Order no. 179981
Profile cylinder white Order no. 179980
Profile cylinder black Order no. 179982

PORCELAIN PROTECTIVE PLATE 1 SET

(picture left) 2 protective plates (warded lock) of porcelain. Material thickness 9 mm. 25.5 x 5 cm. Weight 220 g. Order no. 182765

PORCELAIN PROTECTIVE PLATE 1 SET

(picture right) 2 protective plates (warded lock) of porcelain. Material thickness 7 mm. 25.5 x 5 cm. Weight 160 g. Order no. 182766



PORCELAIN WINDOW OLIVE 1 PIECE

1 porcelain window olive with nickeled brass rosette. Length 6.5 cm, width 4 cm. Cover 7 x 3 cm. Hole centre distance 4.3 cm.

Weight 140 g.

Brass nickeled, white

Order no. 159843

Brass blank, white (without picture)

Order no. 179965

Brass nickeled, black

Order no. 159844



PORCELAIN WINDOW HANDLE 1 PIECE

Matches the door handle and includes a porcelain grip, an angle and a solid, nickel-plated brass cover. Handle length approx. 11 cm, max. 2.7 cm Ø. Cover 7 x 3 cm. Hole centre distance 4.3 cm. Weight 140 g.

Brass nickeled, white

Order no. 159840

Brass blank, white

Order no. 179964

Brass nickeled, black

Order no. 159842

Wood and aluminium.

The door handles are produced in Heiligenhaus, the centre of Germany's metal fittings industry. The metal parts are made of a special chill-cast aluminium alloy, after which they are manually deburred, bevelled and anodised in silver for surface protection. Additional plastic sleeves are fitted to reduce friction. The handles are turned from oak, oiled, pressed into the conical openings and also doweled; on top of that the darker model has been smoked.



DOOR HANDLES 1 SET

2 door handles with rosettes. Handle length 13 cm, 25 cm Ø. Handle weight 80 g.

Oak

Order no. 183049

Oak smoked

Order no. 183050

ALUMINIUM WC ROSETTES 1 SET

1 indicator and 1 lock rosette to match the oak door handles. For WC doors with no key.

Cast aluminium, polished and silver anodised. 5.2 cm Ø. Weight 100 g. Order no. 183052

ALUMINIUM ROSETTES 1 SET

2 key rosettes matching the oak door handles. For interior doors. Cast-aluminium, bevelled to slide and anodised in silver. 5,2 cm Ø. Weight 85 g.

Warded lock

Order no. 183051

Profile cylinder

Order no. 177187



**Sounds better. Is better.
Our ringer bell.**

It has an electric bell from the sixties and a black thermosetting plastic housing accommodates reliable electrics and mechanics. These nice sounding gadgets should not be connected to the mains but to a bell-wire with an upstream transformer (output voltage 8-12 V~). By simply dismantling your old doorbell and replacing it with this model you are not doing anything wrong (acoustically and electrically).



**CONE RINGER DOORBELL IN THERMO-
SETTING PLASTIC HOUSING**

Cone bell made of nickel-plated steel.
Volume 87 dB (A). Height 15 cm, width 7 cm,
depth 8.5 cm. Weight 260 g. Order no. **175074**



**FLAT RINGER DOORBELL IN THERMOSETTING
PLASTIC HOUSING**

As above; instead of a cone it has a flat bell.
Volume 84 dB (A). Height 15 cm, width 7 cm,
depth 3.5 cm. Weight 200 g. Order no. **179983**

Iron Doorbell From Germany

What a beautiful noise... This is really what used to be a corridor bell, as it was originally used for flats in apartment blocks. But the neat bell mechanism, made completely without the use of plastic components, can also be heard in the average-sized family house. The key twist mechanism is designed to fit doors of 6 cm thickness, but can be shortened for thinner doors by cutting the square shaft with a hacksaw. The German-made doorbell is intended for indoor use only, as constant exposure to moisture will cause the material to rust.



IRON DOORBELL

Iron chromed. 6.5 cm Ø, weight 150 g.
Order no. **135070**

